# Bases for washer extractors and tumble dryers



### Features and benefits

- A base brings the machine to a convenient working height for improved ergonomy in your laundry
- Front and side panels of the machine are better protected from wear and tear when mounted on a base
- Base IWS™ (Integrated Weighing System) for machines with Clarus Control<sup>®</sup>. Load cells located in the feet weigh the contents of the drum as it being loaded. The current weight is displayed on the Clarus Control panel

#### **BASE**; open front & sides





Suitable for models: Material:

W455H, T4130 Stainless steel.



Suitable for models: Material:

W465H, W475H, T4190 Stainless steel.



Suitable for models:

W465H, W475H, W4105H, W4130H, W4180H,

W4240H, W4300H Stainless steel.



W4130H

# BASE; closed front & sides

Material:



Suitable for models:

Base frame for

Material:

stacked installation W455H, T4130. Galvanised steel.



7



Suitable for models:

Material:

W455H, T4130 Galvanised, grey painted steel with stainless steel front panel (9889182-40).

Special version "floating foundation" concrete filled (9889182-42).



Suitable for models:

Material:

W465H, W475H, W4105H,

W4130H, W4180H, W4240H,

W4300H, T4190

Galvanised, grey painted steel with stainless steel front

panel.

Suitable for models:

W475N, W485N, W4105N, W4130N,

Material:

W4180N, W4250N Galvanised, grey painted steel with stainless steel front panel.

#### BASE; mobile

# BASE; "floating foundation"





Suitable for models:

W465H, W475H, W4105H, T4190

Material:

Galvanised, grey painted steel with stainless steel

front panel.

Feature: The base frame has four

wheels. Makes the maintenance work easier

in narrow areas.





W455H, W465H, W475H, W4105H, W4130H, W4180H, W4240H Suitable for models:

Material: Galvanised, grey

painted steel with stainless steel front

panel.

A "floating foundation" Feature:

filled with concrete eliminates noise to other parts of the building.

Pos.	Dimensions in mm			High spin washer extractors						
	Height	Width	Depth	W455H	W465H/W475H	W4105H	W4130H	W4180H	W4240H	W4300H
1	290			9889186-11						
1	200			9889186-10						
2	240				9889185-05					
3	485						9889187-06			
3	460							9889188-06		
3	430								9889189-06	9889190-06
3	490				9889185-06		9889187-09 (IWS)			
3	490					9889186-06				
3	460	40						9889188-09 (IWS)		
3	430	Width, same as the machine	Depth, same as the machine						9889189-09 (IWS)	9889190-09(IWS)
4	100	등	C <del>P</del>	9889182-26						
5	290	Шa	na	9889182-43						
6	190	<u>_</u>	<u>e</u>		9889185-11	9889186-21				
6	210	<b>‡</b>	<u>+</u>				9889187-11			
6	230	ä	ä		0000105.10	0000400		9889188-11	9889189-51	9889190-11
8	190	Шe	l e		9889185-13	9889186-23				
9	190	sa	sa		9889185-12	9889186-22	0000107.10			
9	210	÷,	Ę,				9889187-12	0000100 10	0000100 50	
9 5	230 290	<u>j</u>	e b	9889182-45				9889188-12	9889189-52	
5	290	>	ă	9669162-45			<u> </u>			
		Normal and medium spin washer extractors								
				W475N	W485N/M	W4105N/M	W4130N/M	W4180N/M	W4250N/M	
7	190			9889179-40	9889179-41					
7	210					9889179-42	0000170 00			
7	210 230						9889179-23	0000170.04	0000170.05	_
7	230							9889179-24	9889179-25	]
		Tumble dryers								
				T4130	T4190					
5	290			9889182-44						
2	240				9889185-05					
6	190				9889185-61					
8	190				9889185-63					
1	290			9889186-11						J

# **Electrolux**