

# Electrolux



RESTAURANT SUPPLIES INTERNATIONAL

CONTACT GRILLS

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia





# BLACK IRON - TRADITIONAL SUPERIORITY

# Contact Grills

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

## ADVANTAGES

**...High Quality CAST IRON Alloy.**

- Fast
- Energy Savers
- Simultaneous over & below grilling
- Life time materials
- Non stop operation
- Hard work - mindless
- Easy to clean
- No maintenance needed

**... Constructed to perform.**

**... Over 600.000 pieces operating over the world, prove quality and performance of our contact grills.**



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES...

## CONTACT GRILLS

www.electrolux.com.mk  
www.elektroluks.com.mk  
+389 47 203 900

+389 2 329 8 130  
made in macedonia

### VP- CAST IRON (10.019.001)

Single contact grill with ribbed steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



**217 €**

Effective surface: 440cm<sup>2</sup>  
Net weight: 12kg  
Operating voltage: 230 VAC/50Hz  
Heating element power:  
Upper plate: 650W  
Lower plate: 800W  
Total: 1450W  
Dimensions:  
External: 280x380x225mm  
Upper plate: 215x205mm  
Lower plate: 220x210mm

VP- BLACK IRON  
TRADITIONAL SUPERIORITY

**148 €**

### VSP-M (10.019.009)

Single contact grill with ribbed cast iron plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



Operating voltage: 230 VAC/50Hz  
Heating element power: 3000W  
Dimensions:  
External: 345x540x350mm  
Upper plate: 245x325mm  
Lower plate: 255x330mm  
Weight: 22 kgr

**470 €**

### VPG-CAST IRON (10.019.002)

Single contact grill with ribbed steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



**253 €**

Effective surface: 0,057m<sup>2</sup>  
Net weight: 16,5kg  
Operating voltage: 220-240VAC/50-60Hz  
Heating element power:  
Upper plate: 900W  
Lower plate: 1100W  
Total: 2000W  
Dimensions:  
External: 420x280x250mm  
Upper plate: 225x225mm  
Lower plate: 235x255mm

VPG- BLACK IRON  
TRADITIONAL SUPERIORITY

**172 €**

### VPG-L - CAST IRON (10.019.003)

Single contact grill with smooth steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



**255 €**

Effective surface: 0,057m<sup>2</sup>  
Net weight: 16,5kg  
Operating voltage: 220-240VAC/50-60Hz  
Heating element power:  
Upper plate: 900W  
Lower plate: 1100W  
Total: 2000W  
Dimensions:  
External: 420x280x250mm  
Upper plate: 225x225mm  
Lower plate: 235x255mm

VPG-L BLACK IRON  
TRADITIONAL SUPERIORITY

**168 €**


www.electrolux.com.mk  
www.elektroluks.com.mk  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia



## CONTACT GRILLS

### VPG -SUPER

Single contact grill with ribbed cast iron plates and stainless steel body. Equipped with 50-300°C adjustable thermostat, pilot lamp and thermal fuse



made in macedonia

Operating voltage: 220-240VAC/50-60 Hz

Heating element power:

Upper plate : 900W

Lower plate 1100W

Total: 2000W

Dimensions

External : 420 x 280 x 250

Upper plate : 360 x 240 mm

Lower plate : 330 x 230 mm

**377 €**

### V2PSE

(10.019.011)

Double contact grill with ribbed steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz

Heating element power:

Upper plate: 2x(650W)

Lower plate: 2x(900W)

Total: 3100W

Dimensions:

External: 510x430x250mm

Upper plate: 215x235mm each

Lower plate: 445x245mm

Weight: 27 kgr

**378 €**

V2PSE- BLACK IRON  
TRADITIONAL SUPERIORITY

**294 €**

### V2PSE-BL

(10.019.014)

Big double contact grill with ribbed upper plates and smooth lower plates. Stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz

Heating element power:

Upper plates: 2x(650W)

Lower plates: 2x(900W)

Total: 3100W

Dimensions:

External: 500x400x260mm

Upper plate: 215x235mm each

Lower plate: 445x245mm

Weight: 27kg

**449 €**

V2PSE-BL BLACK IRON  
TRADITIONAL SUPERIORITY

**290 €**

### V2PSE-LR

(10.019.013)

Big double contact grill with ½ ribbed + ½ smooth plates. Stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz

Heating element power:

Upper plates 2x(650W)

Lower plates: 2x(900W)

Total: 3100W

Dimensions:

External: 500x400x260mm

Upper plate: 215x235mm each

Lower plate: 445x245mm

Weight: 27kg

**449 €**

V2PSE-LR BLACK IRON  
TRADITIONAL SUPERIORITY

**290 €**

## CONTACT GRILLS

www.electrolux.com.mk  
www.elektroluks.com.mk  
+389 47 203 900  
+389 2 329 8 130

made in macedonia

### V2PSE-L

(10.019.012)

Double contact grill with flat steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



442 €

Operating voltage: 230 VAC/50Hz  
Heating element power:  
Upper plate: 2x(650W)  
Lower plate: 2x(900W)  
Total: 3100W  
Dimensions:  
External: 500x400x260mm  
Upper plate: 215x235mm each  
Lower plate: 445x245mm  
Weight: 27kg

V2PSE-L BLACK IRON  
TRADITIONAL SUPERIORITY

285 €

### V2PSG-BL

(10.019.018)

Big double contact grill with ribbed lower and smooth upper steel plates. Stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



498 €

Operating voltage: 2 x (230 VAC/50Hz)  
Heating element power:  
Upper plates: 2 x ( 900 W )  
Lower plates: 2 x ( 1100 W )  
Total: 4000W  
Dimensions:  
External: 550x400x260mm  
Upper plate: 255x225mm each  
Lower plate: 530x235mm  
Weight: 32kg

V2PSG-BL BLACK IRON  
TRADITIONAL SUPERIORITY

338€

### V2PSG

(10.019.015)

Big double contact grill with ribbed steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamps for each plate, fat collector and 2 thermal fuses.



477 €

Operating voltage: 2x(230 VAC/50Hz)  
Heating element power:  
Upper plate: 2x(900W)  
Lower plate: 2x(1100W)  
Total: 4000W  
Dimensions:  
External: 550x400x260mm  
Upper plate: 255x225mm each  
Lower plate: 530x235mm  
Weight: 32kg

V2PSG BLACK IRON  
TRADITIONAL SUPERIORITY

342 €

### V2PSG-L

(10.019.016)

Big double contact grill with smooth steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamps for each plate, fat collector and 2 thermal fuses.



498 €

Operating voltage: 2x(230 VAC/50Hz)  
Heating element power:  
Upper plate: 2x(900W)  
Lower plate: 2x(1100W)  
Total: 4000W  
Dimensions:  
External: 550x400x260mm  
Upper plate: 255x225mm each  
Lower plate: 530x235mm  
Weight: 32 kg

V2PSG-L BLACK IRON  
TRADITIONAL SUPERIORITY

334 €

www.electrolux.com.mk  
www.elektroluks.com.mk  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia



## CONTACT GRILLS

### V2PSG-LR

(10.019.017)

Big double contact grill with two kind of steel plates (½ ribbed + ½ smooth) and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamps for each plate, fat collector and 2 thermal fuses.



**498 €**

Operating voltage: 2x(230 VAC/50Hz)  
 Heating element power: 3100W  
 Dimensions:  
 External: 550x400x260mm  
 Upper plate: 215x210mm each  
 Lower plate: 445x225mm  
 Weight: 32kg

V2PSG-LR BLACK IRON  
TRADITIONAL SUPERIORITY

**338 €**

### CG1-L (10.019.006)

Single contact grill with smooth steel plates and stainless steel body. Equipped with 50-300°C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



**438 €**

Operating voltage: 230 VAC/50Hz  
 Heating element power: 2000W  
 Dimensions:  
 External: 350x420x270mm  
 Upper plate: 225x255mm  
 Lower plate: 235x255mm  
 Weight: 16,5kg

CG1-L BLACK IRON  
TRADITIONAL SUPERIORITY

**290 €**

### CG1-BL (10.019.007)

Single contact grill with ½ ribbed + ½ smooth steel plates and stainless steel body. Equipped with 50-300°C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



**438 €**

Operating voltage: 230 VAC/50Hz  
 Heating element power: 2000W  
 Dimensions:  
 External: 350x420x270mm  
 Upper plate: 225x255mm  
 Lower plate: 235x255mm  
 Weight: 16,5kg

CG1-BL BLACK IRON  
TRADITIONAL SUPERIORITY

**290 €**

### CG1-R (10.019.005)

Single contact grill with ribbed steel plates and stainless steel body. Equipped with 50-300°C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



**438 €**

Operating voltage: 230 VAC/50Hz  
 Heating element power: 2000W  
 Dimensions:  
 External: 350x420x270mm  
 Upper plate: 225x255mm  
 Lower plate: 235x255mm  
 Weight: 16,5kg

CG1-R BLACK IRON  
TRADITIONAL SUPERIORITY

**290 €**

## CONTACT GRILLS

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

### CG2-R (10.019.019)

Double, large, contact grill with ribbed steel plates. Stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage:	230 VAC/50Hz
Heating element power:	4000W
Dimensions:	
External:	610x420x270mm
Upper plate:	255x235mm each
Lower plate:	545x295mm
Weight:	32kg

**638 €**

CG2-R BLACK IRON  
TRADITIONAL SUPERIORITY

**422 €**

### CG2-L

(10.019.020)

Double, contact grill with large flat steel plates and stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage:	230 VAC/50Hz
Heating element power:	4000W
Dimensions:	
External:	610x420x270mm
Upper plate:	255x235mm each
Lower plate:	545x295mm
Weight:	32kg

**657 €**

### CG2-BL

(10.019.022)

Double contact grill with large flat steel plates and stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage:	230 VAC/50Hz
Heating element power:	4000W
Dimensions:	
External:	610x420x270mm
Upper plate:	255x235mm each
Lower plate:	545x295mm
Weight:	32kg

**657 €**

### CG2-LR

(10.019.021)

Double contact grill with large steel plate ( ½ smooth and ½ ribbed ). Stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage:	230 VAC/50Hz
Heating element power:	4000W
Dimensions:	
External:	610x420x270mm
Upper plate:	255x235mm each
Lower plate:	545x295mm
Weight:	32kg

**657 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia



www.electrolux.com.mk  
 www.elektroluks.com.mk  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

## CONTACT GRILLS-WAFFLE IRONS-HOT DOGS

### MEGA-W2

(10.027.001)

Single unit with interchangeable bruxelles/coeur plates. Upper and lower cast iron plate (GG20 DIN 1621). Waffle iron is based on a stainless steel housing (SS430). With an airtight locking surface. Easy removal of plates for cleaning. ALLEN No 6 wrench for plate screws included. Controls: Main switch ON/OFF, pilot lamp, adjustable thermostat 50-300°C/16□, time trimmer 0-5min, start button, buzzer.



Operating voltage: 230 VAC/50Hz  
 Heating element power: 2200W (1100 + 1100)  
 Dimensions: 300x400x285mm

Safety/Protection:  
 Specially designed stainless steel plate frame for user protection.

**725 €**

### MEGA-W4

(10.027.002)

Double unit interchangeable bruxelles and coeur plates. Upper and lower cast iron plates (GG20 DIN 1621). Waffle iron is based on a stainless steel housing (SS430). With an airtight locking surface. Easy removal of plates for cleaning. ALLEN No 6 wrench for plate screws included.

Control: 2 Power ON/OFF main switches, 2 thermostat pilot lamps, 2 adjustable thermostats 50-300°C/16□, 2 time trimmers 0-5min, 2 start buttons, 2 timer pilot lamps and 2 buzzers.



Operating voltage: 30 VAC/50Hz  
 Heating Element: 2x2200W  
 Dimensions: 600x400x285mm  
 Net weight: 63,5 kg

Safety/Protection:  
 Specially designed stainless steel plate frame for user protection.

**1375 €**

### VIRON-1

Professional stainless steel waffle iron with cast iron plates, kant or heart form. Adjustable temperature 50-300°C. Removable stainless steel drip draw underneath the plates.

VIRON-1 heart form (10.027.011)

VIRON-1 kant form (10.027.009)

**480 €**

**480 €**



Operating voltage: 230 VAC/50Hz  
 Element power: 4x800W  
 Dimensions: 600x400x285mm

### VIRON-2

Professional stainless steel double waffle iron with cast iron plates, kant or heart form. Adjustable temperature 50-300°C. Removable stainless steel drip draw underneath the plates.

VIRON-2 kant form (10.027.010)

VIRON-2 heart form (10.027.012)

**962 €**

**962 €**



Operating voltage: 230 VAC/50Hz  
 Element power: 2x800W  
 Dimensions: 300x400x285mm

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES • • • • •

www.electrolux.com.mk  
 www.elektroluks.com.mk  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia



## HOT DOG-TOASTERS

www.electrolux.com.mk  
www.elektroluks.com.mk  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

### HD-G

(12.029.005)

Steam hot dog with three spits for warming up bread. Equipped with a hot plate  $d = 170\text{mm}$ . Special pyrex (457N) glass tube with diameter  $d = 200\text{mm}$ , thickness  $s = 5\text{mm}$ , height  $h = 240\text{mm}$ . Stainless steel lid consisting of two half-circled parts for practical usage. Controlled by a 7-position switch, pilot lamps and On/Off switch. (ALT.: Model HD without spits).

Dimensions: 500x280x360 mm

381 €



### HD

(12.029.004)

Tube capacity:	3 liters
Construction:	Upper part: Inox ( $s = 1\text{mm}$ ). Casing: Inox ( $s = 0,8\text{mm}$ ).
Power:	Hot plate 1000W, 3 Spits 3x16W
Operating voltage:	230 VAC/50Hz
Dimensions:	230x280x360mm (HD)

272 €

### HD-3

Hot-dog machine with 3 spits.

$D = 170\text{mm}$  warming plate for the pyrex (457N) jug. Material: Upper casing made of antimagnetic stainless steel ( $S = 1\text{mm}$ ). Surround casing made of antimagnetic stainless steel ( $s = 0,8\text{mm}$ ).



Jug capacity:	3 Liters
Power:	2200W
Operating voltage:	230 VAC/50Hz
Dimensions:	500x280x360mm

307 €

### HOT-DOG HOUSE

(70.350.201)

Stainless steel hot-dog machine. 32 sausages can be prepared at the lower part of the machine. The upper space can be used to keep 36 hot dog breads warm. The cabinet for the bread gets heated through a heating element which is by the sausages area.



Dimensions:	510(L)x360(D)x610(H)mm
Power:	800W / 230V

434 €

www.electrolux.com.mk  
www.elektroluks.com.mk  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia